# création baumann

# DIMMER III-300

Dim-out fabric in Trevira CS in a width of 300 cm; Innovative fabric to darken interiors, satisfying the most exacting demands in aesthetics and functionality. The look, feel and flowing drape qualities of this complex product are unique. 17 select shades enrich this versatile dim-out fabric.



**Use:** Dim-out fabric

Number of colours: 17

Material: 100% Flameretardant polyester (Trevira CS)

**Fabric width:** 300 cm/118 inch/3.28 yard

Can be railroaded: Can be railroaded

Weight: 260 g/m<sup>2</sup>

Flame-retardant properties:

rtaidant properties.

Additional use:

Care: 40 × 🔯 🗻 🕑

Washing (length shrinkage): 0.5%

Dry cleaning (length shrinkage): 1%

Sound absorption:

Abrasion resistance: 23'000 Martindale

Pilling: 4-5

Certificates / tests: Fire Test DIN 4102 B1
Fire Test Japan
\*all testing reports can be Fire Test M1

downloaded from our website under product details Fire Test Norm BS 5867

Sound absorption ISO 354 / ISO 11654

Flow resistance DIN EN 29053 Light transmission

Lightfastness certificate

Special notes: - Dim-out: The colours are grouped into three

Alpha value 0.60

groups in accordance with the degree they cut out incoming light: light, regular and

dark.











# création baumann

# DIMMER III-300



### Note:

## CARE SYMBOLS FOR TEXTILES

# Washing (wash tub) Signature Normal process 95° Mild process 60° Mild process 60° Mild process 60° Mild process 40° Wormal process 40° Wormal process 40° Hand wash Hand wash

The numbers in the washing tub specify the maximum temperature in °C which must not be exceeded. The bar underneath the wash tub characterizes a milder cycle with reduced mechanical action.

Do not wash

### Ironing (hand iron)



Iron at maximum sole-plate temperature



Iron at a medium sole-plate temperature. Take care when using a steam iron



Iron at a low sole-plate temperature. Take care when using a steam iron



Do not iron

The number of dots indicates the severity as regards to temperature of the handiron.

### Chlorine-based bleaching (triangle)



Chlorine-based bleaching allowed



Do not use chlorine-based bleach

### Tumble drying (circle in a square)



Drying at a lower temperature setting



Do not tumble dry

The numbers of dots indicates the severity as regards to temperature of the tumble drying treatment.

### Dry-cleaning (circle)



Self-service cleaning also allowed (A)



Drycleanable



Drycleanable



Self-service cleaning not allowed (F)



Self-service cleaning not allowed (F2)



Do not dry clean



Mild professional wet-cleaning

The letters within the circle specify the solvents that can be used. The bar under the circle indicates that certain limitations in the drycleaning process are required. These may concern mechanical action and/or drying temperature and/or water addition in the solvent. – No selfservice cleaning allowed.

### Gecko



Cleaning with window wiper (Unger method)



Cleaning by "Spray Extraction" method by machine

# SYMBOLS AND PRODUCT INFORMATION

Product information		Material	Material information	
Inherently flame retardant	Free from harmful substances / Oddy	AC	Acetate	
		CA	Hemp	
Width (cm)	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)	со	Cotton	
Can be railroaded (only valid for curtains)	light transmission level Tv, n-h	- EA	Elasthan	
		GL	Glass fibre	
Has to be railroaded	light transmission level Tv. n-nn	· <u>Ш</u>	Linen	
		MD	Modal	
Must not be railroaded	light transmission level Tv, n-dif	ME	Metal	
		PA	Polyamide	
Pattern repeat displaced	light reflection level Pv, n-h	PC	Acrylic	
		PE	Polyethylene	
Repeat in warp direction	light absorption level Av  UV transmission level Tuv	PI	Paper	
		. PL	Polyester	
Repeat in weft direction		PLF	Flameretardant polyester	
Weight (g/m2)	solar transmission level Te, n-h	PLF CS	Flameretardant polyester (Trevira CS)	
		PN	Polycarbonat	
Yarn dyed	solar reflection level Pe, n-h	PP	Polypropylene	
		PU	Polyurethan	
Piece dyed	solar absorption level Ae	RA	Ramie	
		SE	Silk	
Knitted	Various articles are only available in complete picture repeats.  The price is quoted per repeat in each case.	SI	Silicone	
		TR	Different material (wood, paper, feathers etc.)	
Woven	Additional product information	VI	Viscose	
Warp print		- ww	Wool Mohair	
vvaip print		wv	Wool	
Screen print/burnout				
Metalized on one side				

# SYMBOLS AND PRODUCT INFORMATION

# Intended purposes 44 Curtains/Sheers Roller blinds (colours see separate roller blind collection) Panels (process the panels in warp direction to get optimal hang properties) Vertical blinds Roman blinds Upholstery (for heavy use in contract application). Martindale > 30'000 Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000 Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000Loose cover for careful use in domestic application. Martindale < 5'000 **Bedspreads** Table cloth domestic use Wallcovering Textile wallpaper (can be paper backed, minimum quantity) Cushion Acoustical fabrics Adhesive Textiles/Gecko/Gecko in the Box

-\\\\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-	Fabrics with very high lightfastness for indoor and outdoor use
3.44	Reverso