création baumann

TERZACOUSTIC

Transparent curtain fabric; Acoustic fabric with a matt look and a delicate surface texture. Thanks to the latest, innovative technology matt, transparent acoustic fabrics have become an option. Application of corresponding foil yarns culminates in a look that is reminiscent of glass. Terzacoustic with its effective absorption value of aw 0.50 is perfect for many different interiors in residential and contract sector furnishing.











Semi-transparent curtain fabric

Number of colours:

Special colours available from 300 m / 330 yds

upwards.

Material: 100% Flameretardant polyester

Fabric width: 300 cm/118 inch/3.28 yard

Can be railroaded: Can be railroaded

70 g/m² Weight:

Flame-retardant properties:

117 Additional use:

Washing (length shrinkage):

Dry cleaning (length shrinkage): 1%

Sound absorption: Alpha value 0.50

Certificates / tests: Fire Test DIN 4102 B1 Fire Test Japan

*all testing reports can be downloaded from our website Fire Test M1

Sound absorption ISO 354 / ISO 11654 under product details

Lightfastness certificate



création baumann

TERZACOUSTIC



CARE SYMBOLS FOR TEXTILES

Washing (wash tub) | SEE | Normal process 95° | | SEE | Mild process 95° | | SEE | Normal process 60° | | SEE | Mild process 60° | | SEE | Mild process 60° | | SEE | Mild process 40° | | SEE | Mild process 40°

The numbers in the washing tub specify the maximum temperature in °C which must not be exceeded. The bar underneath the wash tub characterizes a milder cycle with reduced mechanical action.

Do not wash

Ironing (hand iron)



Iron at maximum sole-plate temperature



Iron at a medium sole-plate temperature. Take care when using a steam iron



Iron at a low sole-plate temperature. Take care when using a steam iron



Do not iron

The number of dots indicates the severity as regards to temperature of the handiron.

Chlorine-based bleaching (triangle)



Chlorine-based bleaching allowed



Do not use chlorine-based bleach

Tumble drying (circle in a square)



Drying at a lower temperature setting



Do not tumble dry

The numbers of dots indicates the severity as regards to temperature of the tumble drying treatment.

Dry-cleaning (circle)



Self-service cleaning also allowed (A)



Drycleanable



Drycleanable



Self-service cleaning not allowed (F)



Self-service cleaning not allowed (F2)



Do not dry clean



Mild professional wet-cleaning

The letters within the circle specify the solvents that can be used. The bar under the circle indicates that certain limitations in the drycleaning process are required. These may concern mechanical action and/or drying temperature and/or water addition in the solvent. – No selfservice cleaning allowed.

Gecko



Cleaning with window wiper (Unger method)



Cleaning by "Spray Extraction" method by machine

SYMBOLS AND PRODUCT INFORMATION

Metalized on one side

Product information		Material information	
Inherently flame retardant	Free from harmful substances / Oddy	AC	Acetate
		CA	Нетр
Width (cm)	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)	со	Cotton
Can be railroaded (only valid for curtains)	light transmission level Tv, n-h	EA	Elasthan
		GL	Glass fibre
Has to be railroaded	light transmission level Tv. n-nn	LI	Linen
		MD	Modal
Must not be railroaded	light transmission level Tv, n-dif	WE	Metal
		PA	Polyamide
Pattern repeat displaced	light reflection level Pv, n-h	PC	Acrylic
		PE	Polyethylene
Repeat in warp direction	light absorption level Av	PI	Paper
Repeat in weft direction	UV transmission level Tuv	PL	Polyester
		PLF	Flameretardant polyester
Weight (g/m2)	solar transmission level Te, n-h	PLF CS	Flameretardant polyester (Trevira CS)
		PN	Polycarbonat
Yarn dyed	solar reflection level Pe, n-h	PP	Polypropylene
		PU	Polyurethan
Piece dyed	solar absorption level Ae	RA	Ramie
		SE	Silk
Knitted	Various articles are only available in complete picture repeats. The price is quoted per repeat in each case.	SI	Silicone
Woven	Additional product information	TR	Different material (wood, paper, feathers etc.)
		VI	Viscose
Warp print		ww	Wool Mohair
The plant		wv	Wool
Screen print/burnout			

SYMBOLS AND PRODUCT INFORMATION

Intended purposes 44 Curtains/Sheers Roller blinds (colours see separate roller blind collection) Panels (process the panels in warp direction to get optimal hang properties) Vertical blinds Roman blinds Upholstery (for heavy use in contract application). Martindale > 30'000 Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000 Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000 Loose cover for careful use in domestic application. Martindale < 5'000 **Bedspreads** Table cloth domestic use Wallcovering Textile wallpaper (can be paper backed, minimum quantity) Cushion Acoustical fabrics Adhesive Textiles/Gecko/Gecko in the Box

